

Page Denied

50X1-HUM

C-O-N-F-I-D-E-N-T-I-A-L		SEE BOTTOM OF PAGE FOR SPECIAL CONTROLS, IF ANY	
INFORMATION REPORT		This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an 50X1-HUM ^{zed} person is prohibited by law.	
PREPARED AND DISSEMINATED BY CENTRAL INTELLIGENCE AGENCY			
COUNTRY	Czechoslovakia		
SUBJECT	Nejedly (formerly Schoeller) Mines and Thermal Power Plant.	DATE DISTRIBUTED 7 May 1957	NO. OF PAGES 2
		NO. OF COPIES 50X1-HUM	SUPPLEMENT TO REPORT # <i>Rec'd # 145</i>
THIS IS UNEVALUATED INFORMATION			
50X1-HUM			
C-O-N-F-I-D-E-N-T-I-A-L			
DISTRIBUTION	STATE	ARMY	NAVY
			AIR

NOFORN

LIMITED: Dissemination limited to full-time employees of CIA, AEC and FBI; and, within State and Defense, to the intelligence components, other offices producing NIS elements, and higher echelons with their immediate supporting staffs. Not to be disseminated to consultants, external projects or reserve personnel on short term active duty (excepting individuals who are normally full-time employees of CIA, AEC, FBI, State or Defense) unless the written permission of the originating office has been obtained through the Assistant Director for Central Reference, CIA.

NO DISSEM ABROAD**LIMITED**

50X1-HUM

C-O-N-F-I-D-E-N-T-I-A-L

-2-

3. [redacted] Kladno area [redacted] Schoeller (Nejedly)
Mines and Power Plant and the following facilities:

- a. new /as of 1945/ mine shaft Jaroslav
- b. Vaneek wind /sic/ shaft
- c. Smečno RR station
- d. Max mine shaft
- e. Mayrau mine
- f. Ronna mine shaft
- g. Praha Iron and Steel Works - rolling mills and 30-ton electric arc furnace
- h. Poldi thermal power plant
- i. Prago (Poldi) mine shaft
- j. Kladno thermal power plant
- k. Kladno main RR station [redacted]
- l. iron ore mines at Nučice [redacted]

50X1-HUM

Without the Schoeller Power Plant all these facilities would cease to operate.

4. As of May 1945 the Power Plant** had about 200 employees and about 1800 were employed at the adjoining Schoeller Mines. The Power Plant was surrounded by a concrete wall and had five steam generating boilers. [redacted] if
was planned to replace boilers #3 and #4 (both 50,000 lbs/hr of 500 psig steam) with two new 220,000-lb. boilers. The new ones would be located in same spots as those they replaced. [redacted]

50X1-HUM


-end-

C-O-N-F-I-D-E-N-T-I-A-L

NOFORNNO DISSEM ABROADLIMITED

DNO

50X1-HUM



LEGEND

Contour interval 10 meters changing at 50 meters to 25 meter interval	Contour interval 10 meters changing at 50 meters to 25 meter interval
Water bodies	Water bodies
Coastal features	Coastal features
Land features	Land features
Infrastructure	Infrastructure
Vegetation	Vegetation
Settlements	Settlements
Relief features	Relief features
Administrative boundaries	Administrative boundaries
Other features	Other features

CONTOUR INTERVAL 10 METERS CHANGING AT 50 METERS TO 25 METER INTERVAL

HEIGHTS IN METERS

GLOSSARY


back	rear	front
left	left	right
up	up	down
in	in	out
on	on	off
at	at	by
from	from	to
between	between	among
across	across	through
along	along	parallel
perpendicular	perpendicular	orthogonal
horizontal	horizontal	vertical
diagonal	diagonal	oblique
curved	curved	straight
convex	convex	concave
flat	flat	uneven
rough	rough	smooth
irregular	irregular	regular
asymmetrical	asymmetrical	symmetrical
balanced	balanced	unbalanced
stable	stable	unstable
solid	solid	hollow
opaque	opaque	transparent
opaque	opaque	transparent
opaque	opaque	transparent

50X1-HUM

KLAUS, CZECHOSLOVAKIA

MIDDLE DANUBE 1:100,000

KLADNO



50X1-HUM

50X1-HUM



